

SGC05 SERIES CLAW GRAPPLES



MATERIAL HANDLING

Quickly handle big jobs.

Move brush, clean stalls, lift debris, and so much more with Land Pride's SGC05 Claw Grapple. The SGC05 will make chores a breeze. Easily grasp, lift, and move a variety of materials making property maintenance easier and less time consuming.

Our SGC05 tines are manufactured from high-tensile AR400 Steel to make sure it stands up to demanding use. For added strength, the frame is made of 2" x 3" rectangular tubing. And it carries the Land Pride name, so you know quality is built in.



	SGC0554
Mount	Kubota BX80 Universal Quick-Attach
Width	54"
Weight - lbs (kg)	225 (102)
Closed Height	26-1/2"
Number of Bottom Teeth	6
Number of Top Teeth	7
Teeth Spacing	10-1/2"
Tooth Thickness	1/4"
Working Length of Teeth	8-3/8"
Jaw Opening	30"
Tine Material	AR400
Color	



Tines are manufactured from high tensile AR400 steel, making the grapple lightweight, yet extremely durable.



Land Pride 3rd Function Valve accessory kit adds versatility to your tractor.



30" Jaw opening and open back for good visibility from tractor seat.

*See dealer for complete warranty information.

SGC06 SERIES CLAW GRAPPLES

HP REQUIRED
40 HP & Below

HITCH
Universal Quick-Attach



MATERIAL HANDLING

Add versatility to your Compact Tractor.


The SGC06 will move brush, rocks and debris, making chores a breeze. Just like our popular SGC05 Series, this grapple allows you to easily grasp, lift, and move a variety of materials greatly reducing the time spent on property maintenance. The tines are manufactured from high-tensile AR400 Steel making it light-weight, yet extremely durable. For additional strength, the frame is made of stout 2" x 3" rectangular tubing. The hinge points feature 3/4" greaseable pins. Land Pride also has 3rd Function Valve Kits for a variety of Kubota tractor/loader combinations. Add versatility to your tractor by completing the package with a 3rd Function Kit.



	SGC0660
Horsepower	40 HP & Below
Mount	Universal Quick-Attach Kubota B Mount, or Blank*
Width	62"
Weight - lbs (kg)	247 (112)
Closed Height	30"
Number of Bottom Teeth	7
Number of Top Teeth	6
Teeth Spacing	9-3/8"
Tooth Thickness	5/16"
Working Length of Teeth	9"
Jaw Opening	32"
Tine Material	AR400
Color	



Tines are manufactured from high tensile AR400 steel, making the grapple lightweight, yet extremely durable.



Land Pride 3rd Function Valve accessory kit adds versatility to your BX, B, LX, L, or MX tractor.



Parking stand allows unit to stand upright when not in use, making it easier to attach to tractor loader.



The SGC0660 features a 32" jaw opening and open back design for good visibility from the tractor seat.

*See dealer for complete warranty information.

SGC10/15 SERIES CLAW GRAPPLES

HP REQUIRED
30-135 HP

HITCH
Universal Quick-Attach

MATERIAL HANDLING



Make quick work of large jobs.

Land Pride's SGC10 and SGC15 Claw Grapples make quick work of large jobs. The SGC can be used to rake, dig, and move rocks, trees, brush, and construction debris without picking up dirt. The compact design minimizes weight while preserving lift capacity. The SGC comes complete with the durability that Land Pride is known for. Our Claw Grapples are ideal for an all-purpose grapple.



SGC10



SGC15



Tines are manufactured from high tensile AR400 steel, making the grapple lightweight, yet extremely durable.



All pivot points feature 1-1/4" greaseable pins for longer life.



6" x 6" Frame tube for strength and serrated teeth keep material from rolling out.

	SGC1060	SGC1072	SGC1560	SGC1572	SGC1584
Horsepower	30-55 HP			50-135 HP	
Hitch	Universal Quick-Attach Kubota B Mount, or No Mount			Universal Quick-Attach	
Width	62"	75"	63"	74"	86"
Weight - lbs (kg)	356 (161) w/o hitch	414 (188) w/o hitch	784 (356)	882 (400)	987 (448)
Closed Height	33"			39"	
Number of Bottom Teeth	10	12	10	12	14
Number of Top Teeth	9	11	9	11	13
Spacing of Teeth	6"			6"	
Tooth Thickness	1/2" Outer; 3/8" Inner			1/2"	
Working Length of Teeth	11-1/4"			12-7/8"	
Hydraulic Cylinder	2" x 6" x 1-1/8" Rod			3" x 10" x 1-1/4" Rod	
Jaw Opening	39-1/2"			50"	
Tine Material	High Tensile AR400			Grade 80	
Color					